

800x 1600mm

GLOSSY FINISH

Surfaces with an authentic natural character



# AT THE CENTER OF DESIGN

Designed by Bluegress, the showroom is an art gallery where ceramic surfaces are displayed in all their beauty, aesthetic, and technological excellence, an ideal setting for the work and meetings of architects, interior designers, and end users.



#### 800x 1600mm



#### Bøøst Yøur Høme

Boost World is both an assortment of collections and a style project that combines autonomous collections that are similar in tone and application. Their ability to "speak the same language" and coexist in harmony offers an extraordinary creative tool that can breathe life into contemporary architecture and interior design.





## A complete range for any architectural and design need

The large sizes offer an aesthetic and compositional potential capable of interpreting the essence of each project: from wall and floor coverings to furnishing elements (bathroom or kitchen counters, work tops, washbasins, and tables) for esidential and commercial environments, with both indoor and outdoor applications.

## Surface Gløssy

This refined glossy and reflective finish illuminates the marble-effect surface with sharp reflections, enhancing every graphic detail.









"Creations of Ravishing Appeal"







ADISON BROWN FINISH - GLOSSY





FINISH - GLOSSY



ADISON CHOCO FINISH - GLOSSY


**PISTA** 


"Creations of Ravishing Appeal"



an italian style







ALEXA WHITE FINISH - GLOSSY






"Creations of Ravishing Appeal"

an italian style







ALONZO RIVER TAPESTRY
FINISH - GLOSSY







an italian style

"Creations of Ravishing Appeal"





AMIGO WHITE FINISH - GLOSSY



BLUEGRESS PORSELANO

"Creations of Ravishing Appeal"







AMPHORA CREMA FINISH - GLOSSY





AMPHORA CREMA FINISH - GLOSSY


SILVER






an italian style

"Creations of Ravishing Appeal"







ANTALYA GREY FINISH - GLOSSY



"Creations of Ravishing Appeal"



an italian style







ARCADIA BRICH FINISH - GLOSSY



ARCADIA BRICH FINISH - GLOSSY




"Creations of Ravishing Appeal"



an italian style







ARLON BONE FINISH - GLOSSY








an italian style

"Creations of Ravishing Appeal"







ARMANI-BRONZ FINISH - GLOSSY



FINISH - GLOSSY







an italian style

"Creations of Ravishing Appeal"







ATHENA GREY FINISH - GLOSSY





ATHENA GREY
FINISH - GLOSSY

**BROWN** 





an italian style

"Creations of Ravishing Appeal"





BARCELONA GREY FINISH - GLOSSY







an italian style

"Creations of Ravishing Appeal"







**BELGIAN LINEN BRONZE** 

FINISH - GLOSSY





"Creations of Ravishing Appeal"

an italian style



800x1600 mn





BELLISIMO CREMA FINISH - GLOSSY







an italian style

"Creations of Ravishing Appeal"





BIANCO ORO CLASSICO FINISH - GLOSSY




"Creations of Ravishing Appeal"



an italian style







BOREAS WHITE FINISH - GLOSSY







an italian style

"Creations of Ravishing Appeal"





BOTTOCHINO CREMA FINISH - GLOSSY





BOTTOCHINO CREMA FINISH - GLOSSY

LIGHT



BLUEGRESS PORSELANO

"Creations of Ravishing Appeal"







BRAZILIAN SNOW FINISH - GLOSSY





"Creations of Ravishing Appeal"



an italian style







BRECCIA CAPRAIA FINISH - GLOSSY





"Creations of Ravishing Appeal"

an italian style







**BRITTEN ARMANI BROWN** 

FINISH - GLOSSY





#### **TECHNICAL SPECIFICATION**

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm²	≥ 45N/mm²
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm³	≤ 150mm³
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10 <sup>80</sup> C <sup>1</sup>	≤ 7 x 10 <sup>-6</sup> °C¹
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in colo
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion		Nil	Nil



#### PACKING DETAIL

Size	Pcs / Box	Weight (Approx)	Thickness (Approx)	SQ. / Box
800x1600	2	52 kg	9mm	27.56





At. Pavadiyari , Near Kajaria Sanitaryware , Jetpar Road, Morbi - 363630 (INDIA)

sales@bluezonevitrified.com www.bluezonevitrified.com